

# BC Routine Immunization Schedule

## INFANTS & CHILDREN

### Child's Age

| Vaccine<br>(Click on the vaccine name to view the vaccine HealthLinkBC file)   | 2 Months | 4 Months | 6 Months  | 12 Months | 18 Months | Starting at 4 years (kindergarten entry) |
|--|----------|----------|---|-----------|-----------|--|
| <b><u>DTaP-HB-IPV-Hib</u></b><br>(diphtheria, tetanus, pertussis, hepatitis B, polio, Haemophilus influenzae type b) | ✓        | ✓        | ✓   |           |           |  |
| <b><u>Pneumococcal Conjugate</u></b> <sup>‡</sup>  | ✓        | ✓        |   | ✓         |           |  |
| <b><u>Rotavirus</u></b>  | ✓        | ✓        |   |           |           |  |
| <b><u>Meningococcal C Conjugate</u></b>  | ✓        |          |   | ✓         |           |  |
| <b><u>MMR</u></b><br>(measles, mumps, rubella)   |          |          |   | ✓         |           |  |
| <b><u>Varicella</u></b> <sup>¶</sup><br>(chickenpox)   |          |          |   | ✓         |           |  |
| <b><u>DTaP-IPV-Hib</u></b><br>(diphtheria, tetanus, pertussis, polio, Haemophilus influenzae type b)                 |          |          |   |           | ✓         |  |
| <b><u>Tdap-IPV</u></b><br>(tetanus, diphtheria, pertussis, polio)  |          |          |   |           |           | ✓  |
| <b><u>MMRV</u></b> <sup>¶</sup><br>(measles, mumps, rubella, varicella)  |          |          |   |           |           | ✓  |
| <b><u>Influenza</u></b> <sup>*</sup><br>(Inactivated and Live-Attenuated)  |          |          | ✓ (yearly for children 6 months of age and older) |           |           |  |
| <b><u>Hepatitis A</u></b> <sup>◆</sup><br>(for Indigenous children only)   |          |          | ✓   |           | ✓         |  |

**COVID-19 vaccination** is recommended and free for people 6 months of age and older. Get information about [COVID-19 vaccines](#).

- ‡ Children with specific medical conditions that place them at high risk of disease should receive an additional dose at 6 months of age. See the HealthLinkBC File for more information on vaccine eligibility or speak to your health care provider.
- ¶ Children who had chickenpox or shingles disease, confirmed by a lab test, at 1 year of age or older do not need the chickenpox vaccine and should get the MMR vaccine at 4 years of age.
- \* A second dose is needed 4 weeks after the first dose if receiving vaccine for the first time.
- ◆ Hepatitis A vaccine is offered to Indigenous children living both on-reserve and off-reserve.